

FIG. 1

1/7




FIG.2

DIRECTORY OR FILE	TYPE OF DATA
/ aaa	OS SETTING DATA
/ bbb / ccc	USER DATA
/ ddd / file-a	APPLICATION INFORMATION
/ ddd / file-b	USER DATA
⋮	⋮
/ xxx	OS SETTING DATA

FIG.3

USER REQUEST TO RESTORE DATA	TYPE OF DATA TO BE RESTORED
FULL RESTORATION	USER DATA, OS SETTING DATA, APPLICATION INFORMATION, OTHER DATA
REINSTALLATION	DIFFERENCE BETWEEN BACKED UP STATUS AND INITIAL STATUS
TRANSFER TO NEW PC	USER DATA, APPLICATION INFORMATION
DATA CREATED BY USER	USER DATA

FIG.4

IP ADDRESS
USER DATA
OS SETTING DATA
APPLICATION INFORMATION
OTHER DATA
DATA DISTRIBUTION INFORMATION

FIG.5

FILE NAME	TIME	DATE	DESTINATION	DISTRIBUTION HOLD INFORMATION
/ddd/file-b	23:00:00	1-ST DAY OF EVERY MONTH	IP ADDRESS A <sub>1</sub>	
			IP ADDRESS A <sub>2</sub>	ON HOLD
			⋮	
			IP ADDRESS A <sub>i</sub>	
/eee/file-e	1:00:00	EVERY SATURDAY	IP ADDRESS B <sub>1</sub>	
			IP ADDRESS B <sub>2</sub>	
			⋮	
			IP ADDRESS B <sub>j</sub>	
⋮	⋮	⋮	⋮	⋮

FIG.6




FIG.7




FIG.8




FIG.9

